

PH SRV Rig
6" Flat Bed Valve Tester Ansi
Class 150



PH SRV Flat Bed Valve Tester 0.5" to 6" NB, For Ansi Class 1500-150

The demands of Health, Safety and Quality and increased regulation have place stringent controls on the supply to and maintenance of operational process plant, PH Ltd offers a compact and versatile pressure testing and seat leakage testing solution. An efficient time saving solution when compared to with "bolt on flange" testing.

Economical and Versatile Testing with the PHSRV Valve Tester, Accommodates most Safety/Relief valve types, Free Standing, Ease of Operation, fixed bed with adjustable hydraulic clamps, small and lightweight and mobile for use as a workshop or site test unit. Can be used in conjunction with an optional Pumpset part no PHPP for valve Hydrostatic testing upto 5625psi.

Part No PHSRV0.5.6.1500.150 Features;

- Tests Flanged Valves From 0.5" through to and including 6" NB.
- Test Pressure Ranges from 450psi/31BarG (6"NB) to 5625psi/388BarG (upto 1.5"NB), See table below for full size/pressure range (Note: Water testing only at stated pressure – see note below).
- Fixed bed table with adjustable hydraulic clamps for ease of retaining test piece.
- Can be used as an assembly jig, use for ground up assembly and test in one operation.
- Hand Pump operated or with optional hydraulic portapack.
- Recessed 'O' Ring provision in the fixed flange for testing without the need for gasketing.
- Can be supplied with optional flanged/screwed fitting adaptors for testing valves with different connections.
- Can be floor fixed or be free standing.
- NPT input (test medium).
- Surface treated wetted parts.
- Painted in a RAL of customers choice.
- Can be easily incorporated unto a scheme of multiple testers and pump sets.
- Footprint Size 34.5"/876mm lg, x 26"/660mm wd x 34"/864mm height. Weight 180kg.

To be used with N2 for testing, the most effective supply is directly from a regulated bottle.

The reference to Valve Class is applicable to Ansi B.16.5 current edition, in material group 1.7.

PH SRV Flat Bed Valve Tester 0.5" to 6" NB, For Ansi Class 1500-1500



Photos shown are for indicative purposes only and show the 3 clamp Rig Option.

Manderlay House
Manderlay Gardens
Emley
West Yorkshire
HD8 9TY

Email: enquiries@part-hunter.co.uk